




① CONCRETE DRIVEWAY APRON DETAIL  
NOT TO SCALE




⑨ PLANTING & STAKING DETAIL  
NOT TO SCALE




⑩ SHRUB DETAIL  
NOT TO SCALE




③ BASE PAD ISOMETRIC VIEW  
NOT TO SCALE




⑤ GRANITE BLOCK CURB DETAIL  
NOT TO SCALE




⑥ LEVELING PAD DETAIL  
NOT TO SCALE




⑪ GRID & PIN CONNECTION  
NOT TO SCALE




② CONCRETE SIDEWALK DETAIL  
NOT TO SCALE




⑬ DRIVEWAY DETAIL  
NOT TO SCALE



④ CHAIN LINK FENCE DETAIL  
NOT TO SCALE




④ CHAIN LINK FENCE DETAIL  
NOT TO SCALE



⑦ TOP OF WALL STEPS  
NOT TO SCALE

⑧ MODULAR BLOCK  
NOT TO SCALE



⑫ TYPICAL MODULAR BLOCK WALL SECTION  
NOT TO SCALE

SITE PLAN NOTES:

- SEE CONSTRUCTION DRAWINGS FOR TYPICAL DETAILS, SECTIONS AND SPECIFICATIONS.
- PROVIDE POSITIVE DRAINAGE AWAY FROM BUILDING ON ALL SIDES, INCLUDING DRIVEWAY, SIDEWALK AND GRADE.
- DRIVEWAY PAVEMENT SHALL BE SLOPED AS INDICATED WITH NO LOW AREAS THAT WILL CAUSE PONDING OF WATER.
- VERIFY EXACT LOCATION OF ALL UTILITIES BY CONTACTING THE APPROPRIATE UTILITY COMPANIES.
- ALL EXCAVATED MATERIAL WHICH IS UNSUITABLE FOR BACKFILL SHALL BE REMOVED FROM THE SITE AND PROPERLY AND LEGALLY DISPOSED OF.
- EXCAVATIONS WITHIN CLOSE PROXIMITY OF UNDERGROUND FACILITIES OR UTILITY POLES WILL REQUIRE PROTECTION IN AN APPROVED MANNER TO PREVENT DAMAGE OR INTERRUPTION OF SERVICE TO UNDERGROUND FACILITIES.
- HAND DIG AROUND EXISTING STRUCTURES AND UTILITIES.
- SAW CUT EXISTING BITUMINOUS PAVEMENT, SIDEWALKS AND CURBS AS NECESSARY.
- CARE SHOULD BE TAKEN NOT TO DISTURB EXISTING PERIMETER WALLS THAT ARE TO REMAIN.